Index for Volume 64 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses.

Abawi, G. S., 302, 668
Abdullah, H., 798
Abou-Ghadir, M. F., 762
Acer rubrum, heart rot of, in North Carolina, 576
Acosta, N., 1110
Acremonium strictum, on Shasta daisy, control, 377
Adams, J. R., 321
Agaricus bisporus, bacterial pathogens of, 455
Agrobacterium
  radiobacter, crown gall of peach controlled by, 835
  radiobacter var. *tumefaciens*, biocontrol of, 25
  tumefaciens, on peach, biological control, 835
Ahmad, M., 479
Ahn, S.-W., 878
Alconero, R., 835
Alcorn, S. M., 674
Alfalfa
  anthracnose of, temperature and light effect on, 476
  diseases of, in Alabama, 1015
  nematodes of, cultivar reaction to, 404
  Phytophthora root rot of,
    nematode effect, 1097
    resistance to, 396, (909, 910, 912)
Al Musa, A. M., 1081
Alternaria spp.
    on chestnut, quality relation, 999
    on pecan, storage factor, 997
  alternata
    on bell pepper, cause of cullage, 771
    strains of, resistance to iprodione, 847
    on tomato, control by imazalil, 169
    on *Zizyphus mauritiana* fruit, in India, (323)
Alvarez, A. M., 93
Amador, J., 1038
American Phytopathological Society
  Annual meeting program, 1980, 606
  Award of Distinction, H. H. Flor, 883
  Council actions, summary, 1044
  Council meeting highlights, 1122
  election results for 1980, 707
  fellows elected, 963
  nominations called for, 964
  Pacific division, 1043
  Presidential address, L. H. Purdy, 982
Anahosur, K. H., 1004
Andersen, A. L., 1059
Anderson, N. A., 558
Anderson, R. L., 558, 680
Anguina agrostis, on fescue, fire for control, 641, (642, 643)
Anjaneyulu, A., 790
Aphis gossypii, cowpea mosaic virus transmitted by, (925–927)
Apple
  bitter rot of, temperature effect, 1084
  Botrytis cinerea on, biological control of, 1009
  disease control by fungicides and management, feature, 258
  diseases of, ultralow-volume spray for control, 681
  fireblight of, scion response, 209
  fruit disease of, assessment and identification, 56
  leaf diseases of, Geneva leaf-wetness detector for, 286
  nematodes of, eight genera in Quebec apple orchards, 582
  Phytophthora collar rot of, fungicides for, 310
  scab of, prediction with microcomputer, 69
  Sclerotium rolfsii on, control, 205
  Venturia inaequalis on, ascospore emission, 930
  viruses of, IR-2 program, 826
  wood decay and hymenomycetes in orchards, in Washington, 560
Applegate, H. W., 375
Apple stem grooving virus, on Virginia crabapple, 562
Apple type II virus, on crabapple, symptoms of, 562, (563)
Arachis hypogaea (see Peanut)
Aragaki, M., 483, 786
Arceuthobium pusillum
  on black spruce, infection rate and mortality, 1074
  on red spruce, in New Hampshire, 880, (881)
Armillaria mellea, root rots of Pacific Northwest forests, (793)
Armstrong, G. M., 596, 954
Armstrong, J. K., 596, 954
Arnett, J. D., 1037
Arny, D. C., 85
Asparagus, seeds of, *Fusarium* spp. on, 74, (75)
Aspen
  Hypoxylon canker of
    fertilizer effect, 284
    mammatoxin, 306
  leaf and shoot blight of, in Minnesota, 558
Aspergillus sp., on chestnut, quality relation, 999
  flavus
    on corn
      aflatoxin production by in Hawaii, 550
      infection factors, 859, (861)
Avocado
  sunblotch disease of
    transmission to cinnamon, (475)
    viroid or virus cause, 313
Azalea, Phytophthora root rot of, resistance to, 214

Bacillus uniflagellatus, biocontrol use of, ineffectiveness of, 382
Bacteria
  crop loss estimates from, in USA, 674
  inoculation with, mechanical device for, 369
Baker, F. A., 1074
Baker, R., 743
Ball, D. M., 1015
Banana
  nematodes on, factors affecting, 571
  Sigatoka leaf spots of, 750, (754, 755)
Banttari, E. E., 928
Bark, composted-, use as growth medium, feature, 142
Barker, K. R., 639, 1097
Barley
  foliar funigicides for, in Europe, 987
  kernel discoloration in, resistance to, 928
  Rhynchosporium secalis on, resistance sources, 88
Barley stripe mosaic virus, economic importance and control, in Montana, 136
Barley yellow dwarf virus, on spring wheat, loss assessment, 197, (200)
Barnard, E. L., 695
Barrat, R. E., 681
Barrett, J. A., 148
Bartz, J. A. 934
Bashan, Y., 851, 937
Bauerle, W. L., 63
Bean, G. A., 178
Bean, leaf diseases of, Geneva leaf-wetness detector for, 286
Bean pod mottle virus, soybean green stem caused by, 863
Beckman, P. M., 497
Beer, S. V., 72, 857
Beet, cyst nematode of, in tropical Africa, 1036
Benson, D. M., 214, 684, 687
Bermudagrass, spring dead spot of, fungicides for in North Carolina, 868
Berseem mosaic, seed-transmitted virus, in India, 490, (491)
Betula spp., heart rot of, in North Carolina, 576
Betzold, J. A., 289
Biological control
  Agrobacterium radiobacter for peach crown gall, 835
  Bacillus uniflagellatus, ineffective control, 382
  Botrytis cinerea on apple, 1009
  Chaetomium cupreum for soybean seedborne fungi, 468
  crown gall by Agrocin 84, 25
  nematodes by microorganisms, 527, (529–531)
Bipolaris
  oryzae, sporulation induced in, system for, 788
  sorokiniana
    on barley, resistance to, 928
    guar root extract effect on, 932
Birch, R. G., 501
Bissonnette, H. L., 733
Blakeney, A. B., 1086
Blakeslee, G. M., 167, 695, 703
Bluegrass (see also Turf)
  Fusarium blight of, properties, 60
Bockelman, D. L., 99
Bolkan, H. A., 225
Bonman, J. M., 326
Bonn, W. G., 209, 586
Boosalis, M. G., 31
Boothroyd, C. W., 50, 218
Botryosphaeria obtusa, substrate colonization by, reduction of, 292, (293)
Botrytis cinerea
  on apple, bean, and grape, benomyl-resistant strains of, 316
  on apple, biological control, 1009
  on pear, chlorine for control, 1095
Bowen, K., 759
Bower, D. B., 404
Bradfute, O. E., 50
Brahmappa, 1085
Brennan, E., 1106
Bridge, J., 1036
Broad bean wilt virus, on periwinkle, in Australia, 802
Brolmann, J. B., 553
Brown, E. A., II, 205, 310

Bruck, R. I., 306
Bruehl, G. W., 555
Bruhn, J. A., 60
Bruin, G. C., 19
Burpee, L., 1114
Burr, T. J., 698
Bursaphelenchus lignicolus, on pines, in New York, 590

Cabbage
black rot of, world threat, 736, (737–739, 741)
Leptosphaeria maculans on, in Wisconsin, 326
Cade, L., 345
Cafati, C. R., 194
Cali, B. B., 762
Calonectria crotalariae and *C. kyotensis*, on sweetgum seedlings, damage from (1079)
Caloscypha fulgens, on spruce seed, in Oregon and Washington, mortality from, 223
Campbell, C. L., 959
Campbell, C. W., 1110
Campbell, G. M., 566
Camptomeris leucaenae, on *Leucaena leucocephala*, in Colombia, 414
Cantaloup
downy mildew on, control of, 390
Myrothecium roridum on, fungicides for, 872
reniform nematode on, yield effect, 282
Capsicum annuum
cullage in Rotterdam market, cause and extent, 771
Erwinia carotovora on, in Ohio, 191
potato virus Y on, resistance to, 57
transplant diseases of, fumigation for, 566
Carica papaya, purple stain of, 93
Carnation, Fusarium and Phialophora wilt of, control, (743, 748)
Carroll, R. B., 66
Carroll, T. W., 136
Carter, W. W., 872
Carya spp., heart rot of, in North Carolina, 576
illinoensis (see Pecan)
Casper, D. H., 947
Cassava
mosaic virus in, isolation and purification, 1040, (1041)
Xanthomonas manihotis on seeds of, transmission, 784
Cassia mild mosaic virus, on *Cassia* in Brazil, dieback association, 587, (588)
Castanea mollissima (see also Chestnut)
nut deterioration in, organisms associated, 471
Castor, L. L., 1017
Cenangium ferruginosum, on pine, in New York, 590
Cephaleuros sp., on guava, cultivars resistant to, (1010)
Cephalosporium gramineum
on cereals, in Virginia, (325)
on wheat, in Wyoming, 1117
Ceratocystis wageneri, root rot of Pacific Northwest forests caused by, (793)
Cercospora
beticola, on sugar beet, triphenyltin-resistant strains of, 940
kikuchii
on soybean, leaf blight from, (961)
sporulation of, on media, 373
Cereal, leaf diseases of, multilines for control, 148
Chaetomium cupreum, on soybean, effect on seedborne fungi of, 468
Chamaecyparis thyoides, heart rot of, in North Carolina, 573
Chandrasekharan Nair, M., 220, 415
Chase, A. E., 377
Chen, M.-J., 564
Chen, T. A., 479
Chenopodium quinoa, seed rot and damping-off of, 497
Cherry
Coccomyces hiemalis on, benzimidazole resistance of, 787
rugose mosaic of, ELISA for identification, 691
stem pitting disorder of, transmission attempts, (1081)
sweet-
Alternaria alternata on, iprodione-resistant strains, 847
little cherry disease of, phloem wall deposits in, 664
stem pitting of, occurrence in Washington, 551
Chestnut (see also *Castanea mollissima*)
blight of, climatic stress effect, 1001
weevil in, hot water treatment for, 999
Chettanachit, D., 795
Chiarappa, L., 362
Chiu, R.-J., 564
Chlorotic leaf spot virus, on Virginia crabapple, 562
Christensen, C. M., 1067
Chrysanthemum maximum, Acremonium wilt of, control, 377
Chrysanthemum stunt viroid, detection by polyacrylamide gel electrophoresis, 186
Chrysayi-Tokousbalides, M., 940
Cicer arietinum, wilt resistance in, screening for, 379
Cinnamomum zeylanicum (see Cinnamon)
Cinnamon
avocado sunblotch disease of, transmission to, (475)
leaf spot and dieback of, in India, (220)
Citrus
Elsinoë fawcetti on, benomyl-tolerant strains of, detection, 871
mycoplasmalike organism on, separation from likubin complex, 564, (565)
root rot of, mycorrhizal influence, 839, (840)
tristeza control by cross protection, 538
young tree decline of, relation to xyloporosis, 769
Cladisporium sp., guar root extract effect on, 932
cladosporioides, on *Zizyphus mauritiana* fruit, in India, 323
Claflin, L. E., 47, 99
Clark, E. M., 1015
Clark, R. G., 43
Claviceps purpurea, on ryegrass, fire for control, 641, (642, 643)
Clerodendron infortunatum, leaf spot of, in India, 415, (416)
Clover
Berseem-, seed-transmitted virus of, in India, 490, (491)
root rot of, *Codinaea fertilis* cause, 959, (960)
Cobb, A. C., 668
Coccomyces hiemalis
on cherry
benzimidazole resistance in, 767
EPISTAR for study, 646
Cochran, F. D., 214
Coconut
cadang-cadang disease of, in the Philippines, 362
lethal yellowing of, in Jamaica, 362, (363)
Cocos nicofera (see Palm, coconut-)
Codinaea fertilis, on ladino clover, root rot from 959, (960)
Coffee, coffee berry disease, in Kenya, 362, (363)
Cohen, Y., 549, 1108
Colletotrichum spp., guar root extract effect on, 932
coccodes, on tomato, relation to *Rhizoctonia*, 76, (77)
dematium, on soybean, calcium for suppression, 1088
fragariae
on strawberry
captafol for, 1013
resistance to, (1071)
gloeosporioides
on cinnamon tree, leaf spot and dieback from, in India, (220)
on clove, survival on Clerodendron in India, 415
on *Euonymus*, identification and control, 854, (855)
on *Strychnos nux-vomica*, leaf spot in India, (953)
on *Stylosanthes hamata*, resistance to, 553
graminicola, on corn, stress effect on, 533
trifolii, on alfalfa, temperature and light effect on, 476
Coltricia perennis, on apple, in Washington, 560
Common names of diseases, list for onion, 1123
Converse, R. H., 43
Cook, R. J., 102, 1061
Coplin, D. L., 63, 191
Cordell, C. E., 375, 1079
Coriolus versicolor, on apple, in Washington, 560
Corn
Aspergillus flavus on
aflatoxin produced by, 550
infection factors, 859, (861)
brown stripe downy mildew of, metalaxyl for, 874
crazy top of, in North Dakota, 103
Diplodia macrospora on, first report in Nicaragua, 797
downy mildew of, overview and outlook in USA, (903, 904)
Drechslera dactylidis on, variable-spored isolate, 211, (212)
Erwinia stewartii and *E. zeae* on, inbred response, 168
Helminthosporium turcicum on, new race, 216
Longidorus breviannulatus on, new Midwest disease, (1110, 1111, 1113)
Meloidogyne incognita on, growth effect, (1025, 1026)
new mosaic disease of, 218, (219)
root-knot nematode of, in Pacific Northwest 951
stalk rot of, stress role, 533, (534, 535)
Corn lethal necrosis, outbreak in Kansas, 99
Cornus florida, heart rot of, in North Carolina, 576
Corynebacterium nebraskense, on corn, nomenclature, 228
Cost, N. D., 573, 576, 579
Costa, A. S., 538
Costa, C. L., 587
Cother, E. J., 1086
Cotton
boll rot of, thermosanitation for control, 672
fungicide and insecticide effect on yield, 1076
Fusarium oxysporum vasinfectum race 6 on, in Paraguay, 596
Covey, R. P., Jr., 560
Cowling, E. B., 573, 576, 579
Cowpea
Fusarium wilt of, race 1 from Nigeria, 954
seedborne potyvirus on, in India, (925–927)

Cox, R. S., 133
Craig, J., 778
Craven, M. M., 60
Cronartium
comandrae, on pine, susceptibility of eight species in Tennessee, 375
quercuum, on loblolly pine, fungicides for, 773
Crucifer, black rot of, seedborne organisms, 91
Csinos, A. S., 1037
Cucumber
Rhizopus soft rot of, in greenhouse, 296, (297)
watermelon mosaic virus-1 on, in Lebanon, 799
Cucumber mosaic virus
on eggplant, in Israel, 371
on periwinkle, in Australia, 802
on tobacco and purslane, 294
Cucumis melo (see Cantaloup)
Cunfer, B. M., 369
Curculio caryae, on pecan, relation to storage, 997
Curcuma longa, leaf blast of, in India, (104)
Cutcliffe, J. A., 942
Cyamopsis tetragonoloba (see Guar)
Cylindrocladium sp., on potato tubers, in Brazil, (225)
scoparium, on sweetgum, nursery damage by, (1079)
Cynodon dactylon (see Bermudagrass)
Cytospora chrysosperma, on poplar, dip treatment for, 1092

Dactylis glomerata, *Drechslera dactylidis* on, variable-spored isolate, 211, (212)
Da Graça, J. V., 475
Davide, R. G., 571
Davis, R. M., 839
De Almeida, O. C., 225
Delp, B. R., 1013, 1071
Delp, C. J., 652, 901
Delwiche, P. A., 326
Dematophora necatrix, host range of, 662, (663)
Dendrobium spp., *Phyllostictina pyriformis* on, pathogenicity and spore germination, (786, 787)
Dernoeden, P. H., 915
Desjardins, P. R., 313
Dhingra, O. D., 176, 1088
Dianese, J. C., 225
Dick, M., 96
Dickinson, C. H., 1090
Dilley, M. A., 560
Dimeriella sacchari, on sugarcane, in Australia, (501)
Diplodia
macrospora, on corn, in Nicaragua, first report, 797
maydis, on corn, stress effect, 533
pinea, on pine, in South Africa, 221, (222)
Dirks, V. A., 209
Disease losses, procaryote pathogens causing, 674
Disthaporn, S., 795
Di Vito, M., 1025
Diwakar Rama Wadia, K., 323
Dodd, J. L., 533
Dodds, J. A., 294
Donald, P. A., 45
Dooley, H. L., 465
Dorworth, C. E., 1117
Dothiorella dothidea, on Douglas-fir, new disease, 47, (48)
Dothistroma septospora, on Ponderosa pine, susceptibility to, 400
Doupnik, B., Jr., 31
Dowden, H., 400
Drake, R. J., 313
Drechslera
avenacea, guar root extract effect on, 932
bicolor, on *Pennisetum* spp., symptoms, (1035)
dactylidis, on corn and orchardgrass, variable-spored isolate, 211, (212)
gigantea, on rice, in Latin America, 878, (879)
Duncan, H. E., 958
Duncan, J. M., 1023
Dunleavy, J. M., 291
Durbin, R. D., 101

Ebenebe, A. C., 1030
Echandi, E., 1020
Ecofallow, disease control by, 31
Edgington, L. V., 19
Editorial
Andersen, A. L., credibility, 1059
Barker, K. R., cooperation of plant pathologists and nematologists, 639
Bissonnette, H. L., commodity groups have message, 733
Cade, Leland, grower publications, 345
Cox, R. S., consultant and experiment station, 133
Delp, C. J., what price regulation?, 901
Horsfall, J. G., a perspective, 9
Kendrick, J. B., Jr., applied research, 437
Kommedahl, T., clientele, 824
Merrill, W., research: peddling the product, 981
Schafer, J. F., hope for Plant Disease, 523
Sherf, A. F., county extension agent, 249
Edongali, E. A., 458
Eggplant, cucumber mosaic virus of, in Israel, 371
Ehret, G. R., 767
Eisensmith, S. P., 646
Elaeagnus angustifolia
Phomopsis canker and dieback of, 66
Phomopsis eleagni on, in New York, 590
Elango, F., 784
Eldridge, R. H., 400
Electron microscopy
berseem mosaic virus, 490, (491)
cassava mosaic virus, 1040, (1041)
cowpea seedborne mosaic virus, 925, (927)
Fusarium moniliforme on asparagus seed, 74, (75)
maize rayado fino virus, identification in USA, 50, (52)
rice gall dwarf virus, new disease, 795, (796)
rickettsialike bacteria in johnsongrass, 485, (486)
rickettsialike organism on plum, 995, (996)
watermelon mosaic virus on cucumber, 799, (800, 801)
wheat streak mosaic virus, on corn and wheat, 460, (461)
Elkins, J. R., 1001
Elm, Dutch elm disease of, resistant clones, 203, (204)
Elsinoë fawcetti, on citrus, benomyl-tolerant strains of, 871
Endothia
gyrosa, on beech, in New York, 590
parasitica, on Chinese chestnut, climatic stress effect, 1001
Engelhard, A. W., 487
Epidemiology
EPISTAR, information storage, retrieval, and analysis system, 646
Pierce's disease of grapevines, 388
potato late blight, forecasting components and fungicide program, 1103
Erinle, I. D., 701
Eriophyes cladophthirus, Solanaceae response to, 406, (407, 408)
Erwin, J. A. G., 396
Erwinia spp.
selective medium for, sodium polypectate use, 1086
on tomato, postharvest loss from, 934
amylovora, on apple, response to, 209
carotovora
on bell pepper
cause of cullage, 771
in Ohio, 191
on tobacco, rot from, in North Carolina, 1020
herbicola, on papaya, purple stain cause, 93, (94)
stewartii and *zeae*, on corn, cultivar response, 168
Erysiphe polygoni, on pea, field resistance to, 1085
Eugenia caryophyllata, *Colletotrichum gloeosporioides* on, weed host for, in India, 415, (416)
Euonymus fortunei, anthracnose of, identification and control, 854, (855)
Eutypa armeniacae
ascospore discharge of, 171, (172)
on grapevine, protection against, 278
Evans, D. W., 404
Eyal, H., 1108
Eyal, Z., 492

Fagus
grandifolia, heart rot of, in North Carolina, 576
sylvatica, *Endothia gyrosa* on, in New York, 590
FAO, role in research and control of plant diseases, 362, (362–363)
Faria, J. C., 845
Fauquet, C., 957
Feldman, A. W., 769
Fenwick, H. S., 410
Ferguson, M. W., 460
Fernandez, J. A., 1117
Filer, T. H., Jr., 1079
Filip, G. M., 793
Finch, H. C., 497
Finley, A. M., 951
Fir, Douglas-, twig blight of, new disease, 47, (48)
Fisher, P. D., 69
Flammulina velutipes, on apple, in Washington, 560
Focus, 13, 135, 251, 347, 438, 525, 640, 735, 825, 902, 986, 1060
Folsom, M. W., 995
Fomes annosus (see also *Heterobasidion annosum*)
root rot in Pacific Northwest forests caused by, (793)
Forests
disease survey in North Carolina, 579
losses and heart rot incidence in, 573, 576
Forster, R. L., 410
Fraxinus spp., heart rot of, in North Carolina, 576
Frederick, D. J., 284
Frederick, R. D., 1034
Frederiksen, R. A., 778, 903, 1017
French, D. W., 1074
Fridlund, P. R., 826
Frosheiser, F. I., 909
Fulton, R. W., 100
Fumigation
on pepper, transplant disease controlled by, 566
soil-, for strawberry diseases in California, feature, 264
Fungicides (general) (see also Fungicides, specific)
Alternaria alternata strains resistant to, 847
apple disease control, 258
ultralow-volume spray for control, 681

asphalt tree wound paints evaluated, methods, 465
bermudagrass spring dead spot control, in North Carolina, 868
black shank of tobacco control, 274
on cotton, insecticide relation, yield effect, 1076
foliar-, use on cereals in Europe, 987
for *Myrothecium roridum* on cantaloup, application timing, 872
peanut foliar diseases controlled by, 356, (356–359)
Phytophthora collar rot of apple, efficacy of, 310
potato late blight control, spray and tuber treatments, 764
resistance to, study of, 652
Rhizoctonia foliar blight of Siratro by, 667
for rhododendron dieback, 684
rice blast controlled by, worldwide, 439
Sclerotium rolfsii on apple controlled by, 205
on soybean, for seedborne pathogens from delayed harvest, 696
systemic-
fusiform rust on loblolly pine controlled by, 773
for Phytophthora rot of soybean, 163
ten-year perspective, 19
tomato bacterial speck, copper treatment for, 937

Fungicides (specific) (see also Fungicides, general)
benomyl
for African violet powdery mildew, 188
Botrytis cinerea resistant strains to, 316
mildew strains resistant to, on grape, 677, (678)
Mycosphaerella citri tolerance to, 300
Thielaviopsis basicola population suppressed in soil, 1011
benzimidazole, *Coccomyces hiemalis* resistant to, 767
borax, Annosus root rot of slash pine controlled by, 398
Botran
on chestnut, fungus control, 999
for Rhizopus soft rot of cucumber, 296
captafol
on peanut, for Sclerotinia blight of, 394
strawberry anthracnose controlled by, 1013
captan, zinnia leaf spot control by, 920
chlorothalonil
for downy mildew of cantaloup, 390
on peanut, for Sclerotinia blight, 394
dinocap, for African violet powdery mildew, 188
imazalil, for Alternaria rot of tomato, 169
iprodione, *Alternaria* strains resistant to, 847
metalaxyl
brown stripe downy mildew of corn controlled by, 874
pea downy mildew controlled by, 1090
Pseudoperonospora cubensis resistant to, on cucumber, 1108
sorghum downy mildew control in India, 1004
procymidone, for Sclerotinia blight of peanut, 865
sulfur, for African violet powdery mildew, 188
thiophanate-methyl, *Thielaviopsis basicola* population suppressed in soil, 1011
thiram, blackstem of *Populus* controlled by, 1092
triphenyltin, *Cercospora beticola* resistant strains to, 940
zinc ion-maneb, for downy mildew of cantaloup, 390
Fusarium spp.
guar root extract effect on, 932
on peas, herbicide effect on, 942
on pecan, storage factor, 997
decemcellulare, on *Zizyphus mauritiana* fruit, in India, 323
moniliforme
on asparagus seed, 74, (75)
on sorghum, yield effect in Texas, 1017
moniliforme subglutinans
on sand pine, shoot dieback from, 703
on slash pine seedlings, new forest nursery disease, (695)
oxysporum
on chickpea, resistance to, 379
on conifers, in New York, 590
on *Zygocactus truncatus*, basal stem rot from, 1118
oxysporum asparagi, on asparagus seed, 74
oxysporum carthami, on safflower, resistance to, 876
oxysporum dianthi, on carnation, control measures, (743, 748)
oxysporum niveum, on watermelon, inheritance of resistance to race 1, 853
oxysporum pisi, on pea, in Ontario, 392
oxysporum radicis-lycopersici, on tomato, fertilizer effect on disease, 309
oxysporum tracheiphilum, on cowpea, race 1 from Nigeria, 954
oxysporum vasinfectum, race 6 of, in Paraguay, 596
roseum
on bluegrass, blight and properties, 60
on wheat, foot rot control in Pacific Northwest, (1061)
solani pisi, on pea, in Ontario, 392
tricinctum, on bluegrass, blight and properties, 60

Gabrielson, R. L. 326
Gardner, C. A. C., 168
Garrett, W. N., 156
Gemrich, E. G., II, 382
Geneva leaf-wetness detector, 296
Ghosh, A., 490, 1032
Giannopolitis, C. N., 940
Gibberella zeae, on corn, stalk rot from, 533, (534, 535)
Gill, C. C., 197
Gilpatrick, J. D., 286
Gloeotinia temulenta, on ryegrass, fire for control, 641, (642, 643)
Glomerella cingulata
on apple, temperature effect, 1084
on onion, in Nigeria, (1030, 1031)
Glomus fasciculatus, on citrus, root rot affected by, 839, (840)
Gloxinia, *Phytophthora parasitica* on, root and crown rot of, 487, (489)
Goel, L. B., 849
Goheen, A. C., 280, 584
Goheen, D. J., 793
Gokulapalan, C., 415
Golden, A. M., 951
Goode, M. J., 831
Goodman, R. M., 913
Gordon, D. T., 50, 704
Gough, K. H., 802
Graminella nigrifrons, maize rayado fino virus vector, in USA, 50
Gremmeniella abietina, on pine, in Newfoundland, 1117
Grand, L. R., 413
Grape
Eutypa armeniacae on, in New York, ascospore discharge, 171
Eutypa dieback of, protection against, 278
leaf spot of, description, 698, (699, 700)
Pierce's disease of
environmental therapy for, 388
in Mexico, serology, 280
powdery mildew of, benomyl resistant strains in, 677, (678)
Grapevine, corky bark and stem pitting of, in Mexico, (584, 585)
Grasses, fire for disease control in, 641, (642, 643)
Grau, C. R., 85
Gray, F. A., 321, 1015
Griffin, G. J., 1001
Grogan, R. G., 446
Grove, M. D., 390
Guar, root extract of, spore germination and fungus growth effect, 932
Guava, *Rhizopus stolonifer* fruit rot on, in Hawaii, (412)
Gymnosporangium juniperi-virginianae, on apple, low-volume fungicides for control, 681

Haaland, R. L., 1015
Hall, T. J., 1100
Hampton, R. O., 922
Haning, B. C., 1020
Hanks, R. W., 769
Hardison, J. R., 641
Harkov, R., 1106
Harman, G. E., 696
Hartill, W. F. T., 764
Harvey, R. D., 223
Hattingh, M. J., 207
Hau, F. C., 788
Haware, M. P., 379
Hawksworth, F. G., 880
Hazel, W. J., 178
Heald, C. M., 282
Helianthus annuus (see Sunflower)
Helminthosporium
sacchari, on sugarcane, cultivars resistant to, in Kenya, 554
turcicum
on corn
dominant gene relation, 387
new race of, 216
physiologic specialization in, 779
Hendrix, F. F., Jr., 56, 156, 205, 292, 310
Henis, Y., 851, 937
Hennen, J. F., 1120
Herbicides, Fusarium root rot in pea affected by, 942
Heterobasidion annosum (see also *Fomes annosus*)
on slash pine in South Carolina, 398
Heterodera
avenae, on wheat, soil assay to assess damage, 917
glycines, on soybean, first Minnesota report, 319
schachtii
on beet, occurrence in Africa, 1036
on cabbage and table beet, crop rotation effect, in New York, 302
Hibino, H., 1027
Hoes, J. A., 81
Hoitink, H. A. J., 142
Holcomb, G. E., 1008
Hooker, A. L., 387
Hoplolaimus galeatus, reproduction of, environmental and host factors, 479
Horsfall, J. G., 9
Horst, R. K., 186
Hosford, R. M., Jr., 45
Howell, R. K., 385
Howell, W. E., 551
Hsi, D. C. H., 1011
Huang, C.-H., 564
Huang, H. C., 81
Hudler, G. W., 590
Humaydan, H., 91
Hurwitz, B., 698

Hydrangea macrophylla, virescence in, symptoms of, 659, (660)
Hypoxylon mammatum
on aspen
fertilizer effect, 284
mammatoxin assay, 306

Ilex
crenata, Thielaviopsis black root rot of, dieback association, 956
opaca, heart rot of, in North Carolina, 576
Impatiens holstii
root-knot nematode on, cultivars susceptible to, 184
tobacco streak virus on, symptom, (289)
Indonesian soybean dwarf virus, on soybean, aphidborne, (1027, 1029)
Inglis, D. A., 74
Inoue, H., 795
Inserra, R. N., 1025
Israel, H. W., 218
Ivany, J. A., 942
Iwaki, M., 1027

Jackson, L. F., 88
Jackson, N., 915
Jacobi, W. R., 573, 576, 579
Jacobson, B. J., 1110
Jarvis, W. R., 309
Jenkins, J. E. E., 987
Jimenez, B., 775
John, V. T., 402, 1032
Johnson, A. W., 566
Johnson, D. A., 928, 932, 1006
Johnson, E. R., 216
Johnston, H. W., 942
Jones, A. L., 69, 646, 767
Jones, B. L., 949
Jones, C., 1001
Jones, D. J., 325
Jones, J. B., 325
Jones, R. K., 413, 687, 859
Jons, V. L., 103
Juglans nigra, heart rot of, in North Carolina, 576
Juniperus virginiana, heart rot of, in North Carolina, 573
Jurgensen, M. F., 284

Kable, P. F., 165
Kaiser, W. J., 593
Kappelman, A. J., Jr., 1076
Karunakaran, P., 220, 415
Kasimatis, A. N., 278
Katan, J., 450
Katherman, M. J., 72, 857
Kauffman, B. W., 375
Kawamoto, S. O., 186
Kays, S. J., 471
Keil, H. L., 681
Kelley, W. D., 773
Kendrick, J. B., Jr., 437
Kennedy, B. W., 674
Kennedy, G. G., 762
Kerr, A., 25
Kerr, E. D., 757
Kingsland, G. C., 271
Kinsey, J. G., 779
Kistler, B. R., 759
Kitajima, E. W., 587
Klemmer, R. A., 1118
Klisiewicz, J. M., 876
Knox-Davies, P. S., 221, 569
Koenig, R., 782
Koike, H., 226
Kojima, M., 43
Kommedahl, T., 824
Kraft, J. M., 922
Kratka, S. H., 703
Kuć, J., 549
Kuhlman, E. G., 1079
Kulthe, K. S., 925

Lal, S., 874
Lamb, S. J., 1086
Lambe, R. C., 956
Lane, C. L., 398
Larsen, A. O., 203
Larsen, P. O., 1100
Latham, A. J., 995
Lawson, R. H., 659
Lazarovits, G., 163
Lee, F. N., 298
Lennè, J. M., 414
Leonard, K. J., 859
Leptosphaeria maculans, on cabbage, in Wisconsin, 326
Lescar, L., 987
Lesemann, D.-E., 782, 799
Letters
Clark, C. A., sweet potato disease, 346
Edgington, L. V., fungicide combination response to Ogawa, 134
Georgi, L., kudo response, 524
Hennen, J. F., and J. F. McCain, voucher specimens, 734
Jons, V., wheat striate mosaic on corn, 524
Kommedahl, T., kudo to Hilde McGrath, 12
Luttrell, E. S., crop production, 346
Ogawa, J. M., fungicide combinations, 134
Parochette, J. V., Plant Disease, 134
Paxton, J., phytoalexin definition, 734
Rogerson, C. T., publication date, 134
Royse, D. J., Plant Disease, 134
Schmidt, R. A., new kid on the block, 250
Slack, S. A., Plant Disease, 134
Smith, F. H., sweet potato surface rot, 524
Williams, R. J., Western Hemisphere, 524
Wysong, D. S., Plant Disease resolution, 134
Letter to editor
Corynebacterium nebraskense on corn, 228
Diener response to Singh, 708
viroid discovery, 418, 964
Lettuce
Pythium root rot of, resistance to, 63, (64, 65)
Sclerotinia minor on, resistance of 100 lines, 668, (670)
Lettuce mosaic virus, control with virus-free seed, 446, (446–448)
Leucaena leucocephala, Camptomeris leaf spot of, in Colombia, 414
Lewis, F. H., 258
Li, S. C., 664
Lilium perenne, blind seed disease of, fire for control, 641, (642, 643)
Lillevik, S. L., 69
Lin, M. T., 587
Lind, P., 400
Lindsey, D. L., 1097
Line, R. F., 78
Lipps, P. E., 555
Liquidambar styraciflua
Cylindrocladium root rot of, in southern nurseries, (1079)
heart rot of, in North Carolina, 576
Liriodendron tulipifera, heart rot of, in North Carolina, 576
Littrell, R. H., 356
Llano, A., 797
Lockhart, B. E., 289
Lockwood, J. L., 775
Long, D. L., 947
Longidorus breviannulatus, on corn, new Midwest disease, (1110–1113)

Loria, R., 646
Louie, R., 944
Lowe, S. K., 485
Lownsbery, B. F., 458
Lozano, J. C., 784
Lucas, L. T., 868
Lueschen, W. E., 319

Maas, J. L., 681
Macadamia, Phytophthora blight of, foliar stage of, 483
MacDonald, D. H., 319
MacHardy, W. E., 1103
MacKenzie, D. R., 165
Macroposthonia xenoplax, on alfalfa, cultivar reaction to, 404
Macroptilium atropurpureum, Rhizoctonia foliar blight of, forage yield loss from, 667
Madar, Z., 662
Maffia, L. A., 1088
Magnolia virginiana, heart rot of, in North Carolina, 576
Mahoney, M. J., 854
Mai, W. F., 302
Maize dwarf mosaic virus
on corn, yield effect in South Carolina, 271, (273)
in Greece, pathology of, 803
in Idaho, first report in Pacific Northwest, 410
occurrence in Michigan, 704
on sweet corn, cultivar reaction, 85
Maize rayado fino virus, identification in USA, 50, (51, 52)
Makkouk, K. M., 799
Malek, R. B., 1110
Mali, V. R., 925
Malus spp. (see Apple)
Manihot esculenta (see Cassava)
Manion, P. D., 306
Manning, W. J., 76
Manoharachary, C., 323
Manser, P. D., 1036
Marasmius oreades, biological control of, 348, (350–353)
Marco, S., 57
Marlatt, R. B., 1110
Martin, R. A., 19
Maxwell, D. P., 396
McCain, J. W., 1120
McCall, K. A., 277
McCarter, S. M., 471, 566
McClure, J. P., 573, 576
McCoy, R. E., 1038
McDonald, R. E., 771
McPhee, W. J., 847
McShane, M. S., 1117
Meloidogyne spp., international project, 36
arenaria
on impatiens, cultivars susceptible to, 184
on tomato and watermelon, pathogenic to, 381
chitwoodi, host range in Pacific Northwest, 951, (952)
hapla, on alfalfa, cultivar reaction to, 404
hapla and *M. incognita,* on alfalfa, Phytophthora root rot affected by, 1097
incognita
on banana, factors affecting, 571
on corn, growth influence, (1025, 1026)
on tomato and watermelon, susceptible to, 381
javanica, on tomato and watermelon, susceptible to, 381
Merrill, W., 277, 759, 981, 1034
Merulius sp., on apple, in Washington, 560
Microsphaera diffusa, on soybean, yield loss from, 291
Milholland, R. D., 1013, 1071
Miller, M. E., 1038
Miller, P. M., 174
Milus, E. A., 78
Mink, G. I., 551, 691, 1081
Mishra, M. D., 490

Moller, W. J., 278, 930
Monostichella robergei, on hophornbeam, in New York, 590
Mooi, J., 772
Moorman, G. W., 1118
Morehart, A. L., 66
Morinaka, T., 795
Moyer, J. W., 762
Muchovej, J. J., 176, 1035, 1088
Muchovej, R. M. C., 1088
Mucor piriformis, on pear, chlorine for control, 1095
Müller, G. W., 538
Multilines, foliar disease controlled by, feature, 148
Munnecke, D. E., 377
Mycoplasmalike organisms
  on citrus, likubin complex separation, 564, (565)
  crop loss estimates from, in USA, 674
  lethal decline in Phoenix palm, (1038, 1039)
Mycorrhizae, *Glomus fasciculatus* effect on *Thielaviopsis basicola* on citrus, 839
Mycosphaerella
  citri, benomyl tolerant in, in Florida citrus, 300
  fijiensis, on banana and plantain, in Latin America, distribution and control, 750, (754, 755)
  musicola, on banana and plantain, in Latin America, distribution, 750
Mycotoxin
  on chestnut, fungi and market quality, 999
  mammatoxin, from *Hypoxylon mammatum*, assay for, 306
Myrothecium roridum, on cantaloup, fungicides for, 872
Myzus persicae, potato leafroll virus detection in, with ELISA, 43

Naemacyclus minor
  on Scots pine
    infection period, 759
    in Massachusetts, 1034
Nault, L. R., 50
Nedrow, B. L., 696
Nelson, M. N., 93
Nematodes
  on apple, eight genera in Quebec, 582
  biocontrol of, parasites and predators for, 527, (529–531)
  in North Dakota, four new genera in 12 species found, 45
  root-knot, worldwide distribution project, 36
Nene, Y. L., 379
Neocosmospora vasinfecta
  guar root extract effect on, 932
  on soybean, in Alabama, symptoms, 321, (322)
Nephotettix spp., on rice, rice tungro virus vector, insecticides for, 790
Netzer, D., 853
Nguyen, H. T., 181
Nicandra sp., gall mite of, 406, (408)
Nickell, C. D., 863
Nilaparvata lugens, vector for rice ragged stunt virus, in India, 1032
Niven, B. S., 841
Noel, G. R., 319
Norton, D. C., 1110
Norton, J. D., 995
Nutter, F. W., Jr., 1103
Nyland, G., 280
Nyssa sylvatica, heart rot of, in North Carolina, 576

Oak, S. W., 167, 703
Oard, J. H., 913
Oats
  bacterial blight of, temperature and light effect on, 481
  stem rust of, races in USA in 1979, 947
O'Bannon, J. H., 951
Ogbuji, R. O., 381
Oidium sp., on African violet, fungicides for, 188, (190)
Okon, Y., 851, 937
Olson, B. D., 646
Omura, T., 795
Onion,
  common names of, 1123
  Glomerella cingulata on, in Nigeria, (1030, 1031)
Ooka, J. J., 412, 550
Ortiz, M., Jr., 1011
Osoro, T. O., 554
Ostrya virginiana, *Monostichella robergei* on, in New York, 590
Ou, S. H., 439

Pal, A. B., 1085
Palm
  coconut-
    cadang-cadang disease of, duration of stage, 841
    wilt control by chemicals, 843
  date-, lethal decline in Texas, mycoplasmalike organism association, (1038, 1039)
Panayotou, P. C., 803
Paratylenchus hamatus, on alfalfa, cultivar reaction to, 404
Parejaraern, A., 795
Parsons, I. M., 19
Parsons, J. L., 1081
Patil, S. H., 1004
Paulus, A. O., 265
Payne, G. A., 859
Payne, J. A., 471, 997, 999
Pea
  downy mildew of, metalaxyl for, 1090
  Fusarium root rot of, herbicide effect, 942
  powdery mildew and rust of, field resistance to, 1085
  root rot of, associated pathogens in Ontario, 392
Pea seedborne mosaic virus, loss from, 922
Peach
  crown gall of, biological control of, 835
  phony peach disease of, rickettsia-like bacteria related to, in johnsongrass, 485, (486)
Peanut
  foliar diseases of, fungicides for, (356–359)
  Rhizoctonia solani on, resistance to, screening for, 949
  Sclerotinia blight of
    captafol and chlorothalonil for, 394
    procymidone for, 865
Pear, decay of, chlorine and chlorine dioxide for control, 1095
Pearson, R. C., 171, 316, 677
Pecan, mycoflora and weevils in, storage conditions, 997
Penicillium spp.
    on chestnut, quality relation, 999
    on pecan, storage factor, 997
  expansum, on pear, chlorine for control, 1095
Pennisetum clandestinum and *P. ciliare*, Drechslera leaf spot of, (1035)
Periwinkle, cucumber mosaic virus and broad bean wilt on, host in Australia, 802
Perkis, W. E., 284
Pepper (see *Capsicum annuum*)
Peronosclerospora sorghi
  pathotypes of, 778
  on sorghum
    chemicals for, in India, 1004
    in Kansas, 499
    overview and outlook in USA, (903, 904, 906)
Peronospora
  tabacina
    conidia of, infectivity after freezing and thawing, 549
    on tobacco, epidemic in Georgia, 1037
  viciae, on pea, metalaxyl for control, 1090
Persea americana (see Avocado)
Peters, B. B., 1095
Petunia sp., gall mite of, 406, (408)
Pfeifer, R. P., 181
Phaeolus schweinitzii, on slash pine, stumps as reservoirs for, 167
Phaseolus
  vulgaris
    halo blight of
      inoculum sources, 72
      resistance and seed infection, 857
      Pseudomonas syringae on, in Kenya, 593, (594)
    white mold of, temperature and moisture effect, 757
Phellinus weirii, root rots of Pacific Northwest forests, (793)
Phialophora cinerescens, on carnation, control measures, (743)
Phoenix spp. (see Palm, date-)
Pholiota aurivella, on apple, in Washington, 560
Phomopsis eleagni
  on Russian olive
    in New York, 590
    pathogenicity, 66
Phyllostictina pyriformis, on orchid, pathogenicity and spore germination, (786, 787)
Phymatotrichum omnivorum, guar root extract effect on, 932
Phytoalexin, definition of, letter, 734
Phytopathology News, 107, 227, 327, 417, 503, 597, 707, 805, 883, 963, 1043, 1121
Phytophthora spp., rhododendron dieback caused by, etiology, 687, (689)
  cactorum, on apple, fungicides for, 310
  capsici and *palmivora*, on macademia, 483
  cinnamomi
    on azalea, resistance to, 214
    bark medium for suppression, 142
  fragariae, on strawberry, detection technique, 1023
  heveae, on rhododendron, chemical control, 684
  infestans
    on potato, spray and tuber treatments for, 764
    survival in stems, forecasting, 165
    on tomato, epidemic in Nigeria, 701
  megasperma
    on alfalfa
      nematode effect on, 1097
      resistance to, (909, 910, 912)
    on soybean, tolerance assessment method, 775
  megasperma medicaginis, alfalfa resistant to, 396
  megasperma sojae, on soybean, systemic fungicide assay, 163
  parasitica, on gloxinia, 487, (489)
  parasitica nicotianae, on tobacco, chemical control, 274
Pine
  Annosus root rot of, in South Carolina, 398
  Comandra blister rust of, susceptibility in Tennessee, 375
  Diplodia root disease of, in South Africa, 221, (222)
  disease losses in North Carolina, 573
  Gremmeniella abietina on, in Newfoundland, 1117
  heart rot of, in North Carolina, 573

loblolly-, fusiform rust on, systemic fungicides for, 773
Ponderosa-, Dothistroma needle blight of, susceptibility to, 400
sand-, shoot dieback by *Fusarium moniliforme*, 703
Scots-
Naemacyclus needlecast disease of, infection period, 759
in Massachusetts, 1034
slash-
Phaseolus schweinitzii on, stump reservoirs, 167
pitch canker of, new forest tree nursery disease, 695
Verticicladiella root rot of, in South Africa, 569, (570)
white-, Verticicladiella canker on, 680
Pinus spp.
Bursaphelenchus lignicolus, Scirrhia acicola, Cenangium ferruginosum, Fusarium oxysporum, Verticicladiella procera on, in New York, 590
heart rot of, in North Carolina, 573
strobus, Verticicladiella root disease of, in New Zealand, 96, (97, 98)
Plantago major, cucumber mosaic virus of, 294
Plant doctor, education of, 984
Plant protection, curricula for, in Georgia, 156
Plasmodiophora brassicae, on radish, resistance to race 6 of, 462, (464)
Platanus occidentalis, heart rot of, in North Carolina, 576
Ploetz, R. C., 487
Plum, leaf scald of, rickettsialike organisms associated with, (995, 996)
Podosphaera leucotricha, on apple, low-volume fungicide application for control, 681
Poinsettia mosaic virus, poinsettia cryptic virus compared to, 782, (783)
Pollacia radiosa (see *Venturia macularis*)
Pollution, air-
ozone, poplar foliar symptoms, 772
oxidant, trees and shrubs insensitive to, 1106
soybean seed quality affected by, 385
Polymyxa graminis, on sorghum, in Africa, (957, 958)
Poplar, ozone effect on growth of, 772
Populus spp., blackstem of, dip treatment for, 1092
Poria ferruginosa, on apple, in Washington, 560
Porter, D. M., 394, 865
Portulaca oleracea, cucumber mosaic virus of, 294
Postharvest diseases, in Chinese chestnuts, fungal deterioration of, 471
Potato
Cylindrocladium on tubers of, in Brazil, (225)
international disease research, in developing countries, 252
late blight of
forecasting, 165
forecasting components and fungicides, 1103
spray and seed tuber treatments for, 764
meristem-tip culture of, for virus study, 15
root-knot nematode of, in Pacific Northwest, 951
Potato leafroll virus, detection by ELISA, aphid relation, 43
Potato virus Y
in *Capsicum annuum*, partial dominance on resistance to, 57
oil spray for control, 542
Powell, W. M., 156
Prabhu, A. S., 845
Pratylenchus spp., reproduction of, on 10 hosts, 458
neglectus, on alfalfa, cultivar reaction to, 404
penetrans, on alfalfa, cultivar reaction to, 404
Prunus spp., viruses of, IR-2 program, 826
avium (see Cherry, sweet)
Prunus necrotic ringspot virus, on cherry, ELISA for identification, 691
Pseudomonas spp., on tomato, postharvest loss of, 934
angulata, on tobacco, in Wisconsin, 100
avenae, on corn, oats, and wheat, temperature and light effect, 481
fluorescens, on *Agaricus bisporus*, 455
phaseolicola
on bean, resistance and seed infection, 857
beans as inoculum source, 72
solanacearum, on winged bean, first report on host in Malaysia, 798
syringae
on bean and soybean, in Kenya, 593, (594)
on tomato, control, 831, (833)
tagetis, on marigold, occurrence in USA, (101)
tolaasi, on *Agaricus bisporus*, 455
tomato
control, 831, (833)
on tomato
incidence in Ontario, 586
resistance sources, 851
yield loss and weather effect, 937
Pseudoperonospora cubensis, on cucumber, metalaxyl resistance developed in, 1108
Psidium guajava, *Cephaleuros* sp. on, cultivar reaction, (1010)
Psophocarpus tetragonolobus, *Pseudomonas solanacearum* on, in Malaysia, first report on host, (798)
Puccinia
graminis avenae, races in USA in 1979, 947
graminis tritici
on wheat
detection of slow rust in greenhouse, 54
resistance in India, 849
melanocephala
on sugarcane
in El Salvador, 1120
first report in Louisiana, 226
in Mississippi, report, 706
polysora, on corn, in Kansas, 500
recondita
guar root extract effect on, 932
virulence of, in Pacific Northwest, 78
recondita tritici
new race of, in Idaho, 324
on wheat, temperature effect on rust rate, 1006
Purcell, A. H., 388
Purdy, L. H., 982
Putta, M., 795
Pyricularia
curcumae, on turmeric, in India, (104)
oryzae, on rice, worldwide control, 439, (441–444)
Pyrus spp., viruses of, IR-2 program, 826
Pythium spp., on pea, in Ontario, 392
aphanidermatum
on pepper, fumigation for, 566
on turf, survival of, 1100
iwayamai, on winter wheat, cultivar reaction to, 555
polymastum, on lettuce, root rot of, 63, (64, 65)
ultimum, on wheat roots, occurrence in Pacific Northwest, 102
Quercus spp., heart rot of, in North Carolina, 576
Quinn, J. G., 701
Radish, clubroot of, resistance to race 6, 462, (464)
Radopholus similis, on banana, factors affecting, 571
Rahman, M. U., 953
Raju, B. C., 280, 485
Ramos, A. H., 593
Rasmusson, D. C., 928
Rathaiah, Y., 104
Rawal, R. D., 1085
Rawlings, J. O., 476
Ray, R. K., 843
Raychaudhuri, S. P., 490
Reilly, J. J., 274
Reinisch, R., 932
Resistance
alfalfa to Phytophthora root rot, 909
barley to scald, cultivars, 88
chickpea to Fusarium wilt, screening for, 379
corn to
Erwinia spp., 168
maize dwarf mosaic virus, 85
cultivar mixtures, 148
disease control agents, study of, 652
elms to Dutch elm disease, clones of, 203
pea to powdery mildew and rust, 1085
radish to clubroot, race 6, 462, (464)
safflower to Fusarium wilt, 876
strawberry to *Colletotrichum fragariae*, (1071)
sugarcane to eyespot, in Kenya, 554
wheat to
Septoria nodorum, 492
stem rust, Indian races, 849
Retzer, H. J., 681
Reuveni, M., 1108
Reyes, A. A., 392
Rhizoctonia
cerealis, turfgrass yellow patch caused by, (1114)
solani
bark medium for suppression, 142
guar root extract effect on, 932
on *Macroptilium atropurpureum*, forage yield reduced by, 667
on pea, in Ontario, 392
on peanut, screening for resistance to, 949
in rice, sclerotial number and viability, 298
in tomato, relation to *Colletotrichum*, 76, (77)
Rhizopus stolonifer
on cucumber, in greenhouse, 296, (297)
on guava, fruit rot in Hawaii, (412)
Rhoads, A., 1106
Rhododendron
dieback of
chemical control, 684
etiology, 687, (689)
Rhododendron spp. (see Azalea)
Rhynchosporium
oryzae, on rice, resistance to, screening technique, 845
secalis, on barley, cultivars resistant to, 88
Ribeiro, W. R. C., 225
Rice
Bipolaris oryzae on, spore-inducing system in, 788
blast of, worldwide disease control, 439
Drechslera gigantea on, in Latin America, 878, (879)
leaf scald of, resistance to, 845
Rhizoctonia solani on, inoculum potential, 298
Rice gall dwarf virus, new disease, (795, 796)
Rice ragged stunt virus, in India, transmission and incubation, 1032

Rice tungro virus
carbendazim for symptom suppression, 402
systemic insecticides for, 790
Rickettsialike bacteria, in johnsongrass, phony peach disease relation, 485, (486)
Rickettsialike organisms
crop losses from, in USA, 674
leaf scald on plum, bud relation, (995, 996)
Roane, C. W., 325
Robertson, D. C., 50
Robinia pseudoacacia, heart rot of, in North Carolina, 576
Robinson, R. W., 668
Rodriguez-Kabana, R., 321
Roechan, M., 1027
Roelfs, A. P., 947
Rose, L. P., Jr., 385
Rosenberger, D. A., 316
Rotylenchulus reniformis, on cantaloup, yield effect, 282
Rousselle, G. L., 582
Rowe, R. C., 462
Rowell, J. B., 54
Royse, D. J., 455
Rush, M. C., 788
Ryan, C. C., 501
Rye, Cephalosporium stripe of, in Virginia, (325)

Saettler, A. W., 194
Safflower, Fusarium wilt of, resistance to, 876
Saintpaulia ionantha, powdery mildew of, fungicides for, 188, (190)
Saito, Y., 795
Salix spp., heart rot of, in North Carolina, 576
Sanders, D. E., 672
Sankaran, K. V., 953
Santo, G. S., 404, 951
Sasser, J. N., 36
Sasser, M., 831
Sawhney, R. N., 849
Saxena, S. C., 874
Sayre, R. M., 527
Schaad, N. W., 91, 369, 481
Schafer, J. F., 523
Schaller, C. W., 88
Scharen, A. L., 492
Schieber, E., 797
Schmitthenner, A. F., 63, 1100
Schuster, M. L., 228
Schwenk, F. W., 863
Scientific News, 118, 235, 336, 425, 511, 629, 724, 813, 892, 971, 1051, 1129
Scirrhia acicola, on pines, in New York, 590
Sclerophthora
macrospora
on corn, in North Dakota, 103
on turfgrass, infection, 915
rayssiae zeae, on corn, metalaxyl for, 874

Sclerotinia
camelliae, culture maintenance of, on wheat, 1008
minor
on lettuce, resistance in 100 lines, 668
on peanut
captafol and chlorothalonil for, 394
procymidone for, 865
sclerotiorum
on bean, temperature and moisture effects, 757
on sunflower, plant spacing effect, 81
Sclerotium sp., on soybean, twin-stem abnormality caused by, 176, (177, 178)
rolfsii
on apple, control, 205
on *Chenopodium quinoa,* 497
guar root extract effect on, 932
Septoria tritici, guar root extract effect on, 932
Shahin, E. A., 47
Shail, J. W., 668
Shaw, C. G., III, 96
Sherf, A. F., 249
Shifriss, C., 57
Shigo, A. L., 880
Shokes, F. M., 471
Shukla, D. D., 802
Shukla, V. D., 790
Sim, T., IV, 499, 500
Simons, J. N., 542
Simpson, W. R., 410
Sinclair, J. B., 373, 468
Sinclair, W. A., 203, 590
Singh, B. P., 704
Singh, H., 1090
Singh, P., 1117
Singh, R. P., 964
Singh, S. J., 671
Sirococcus strobilinus, on spruce, in North Carolina, (413)
Sitterly, W. R., 91
Sitton, J. W., 102
Skilling, D. D., 1117
Slack, S. A., 15
Slykhuis, J. T., 664
Smiley, R. W., 60
Smith, C. A., 286, 316
Smith, D. H., 356
Smith, D. R., 779
Smith, F. F., 659
Smith, J. D., 348
Smith, L. J., 324
Snehi Dwivedi, R., 843
Snow, J. P., 672
Soil, solar pasteurization of, for disease control, 450, (451, 452)
Sokhi, S. S., 671
Solanum sp., gall mite of, 406, (407, 408)
melongena (see Eggplant)
Sonoda, R. M., 296, 553, 667
Sorghum
downy mildew of
chemicals for, in India, 1004
in Kansas, 499
overview and outlook in USA, (903, 904, 906)
Fusarium head blight of, yield effect, in Texas, 1017
Peronosclerospora sorghi on, pathotypes of, 778
Polymyxa graminis on, in Africa, (957, 958)
Sorghum halepense, rickettsia-like bacteria in, relation to phony peach disease, 485, (486)
Soybean
anthracnose of, calcium for suppression, 1088
bean pod mottle virus of, 863
Cercospora kikuchii on
leaf blight from, (961)
sporulation on media, 373
Heterodera glycines on, first Minnesota report, 319
Neocosmospora stem rot of, in Alabama, symptoms, 321, (322)
Phytophthora megasperma on seedlings of, tolerance assessment, 775
Phytophthora rot of, systemic fungicides for, 163, (164)
powdery mildew of, yield losses from, 291
Pseudomonas syringae on, in Kenya, 593, (594)
seedborne fungi of, *Chaetomium* effect on, 468
seedborne pathogens of, delayed harvest factor, 696
seed quality in, air pollution effects, 385
twin-stem abnormality in seedlings of, 176
virus of, aphidborne in Indonesia, (1027, 1029)
Soybean mosaic virus, seed transmission and yield loss, 913
Spalding, D. H., 168
Spotts, R. A., 1095
Spruce
black-, dwarf mistletoe of, infection rate, 1074
Caloscypha fulgens on seed of, in Oregon and Washington, mortality of, 223
red-, dwarf mistletoe on, in New Hampshire, 880, (881)
Sirococcus shoot blight of, in North Carolina, (413)
Spurr, H. W., Jr., 1020
Stack, R. W., 1092
Starkey, T. E., 56, 292, 1084
Steadman, J. R., 757
Stebbins, T. C., 69
Stoltz, R. L., 410
Stover, R. H., 750
Strawberry
anthracnose of, captafol for, 1013
Colletotrichum fragariae on, resistance to, (1071)
leaf spot of, inoculation method, 178, (180)
soil fumigation for, in California, 264
Strider, D. L., 188, 920
Strychnos nux-vomica, Colletotrichum gloeosporioides on leaves of, in India, (953)
Stuart, M., 66
Styer, D. J., 101
Stylosanthes hamata, Colletotrichum gloeosporioides on, resistance to, 553
Sugar beet, *Cercospora beticola* on, triphenyltin-resistant strains in, 940
Sugarcane
eyespot of, cultivars resistant to, in Kenya, 554
red leaf spot of, in Australia, (501)
rust of
in El Salvador, 1120
in Louisiana, first report, 226
in Mississippi, 706
Sugarcane mosaic virus, survey in Kenya, 944
Sunderman, D. W., 324
Sunflower, Sclerotinia wilt of, plant spacing factor, 81
Suleman, P. E., 85
Sumathy Kutty Amma, B., 843
Sumner, D. R., 481
Sweet potato feathery mottle virus, strain identification in North Carolina, 762
Swiecki, S. A., 313
Sztejnberg, A., 662

Tagetes erecta, leaf spot of, occurrence in USA, (101)
Tanne, E., 371
Tantera, D. M., 1027
Tattar, T. A., 854, 1034
Taschenberg, E. F., 677
Taxodium distichum, heart rot of, in North Carolina, 573
Taylor, G. S., 294
Teaching, curricula for plant protection and pest management, 156
Teachman, G. E., 284
Teakle, D. S., 802
Téliz, D., 280, 584
Thielaviopsis basicola
on citrus, *Glomus fasciculatus* effect on, 839, (840)
fungicides for suppression of, in soil, 1011
on Japanese holly, dieback association, 956
Thomas, D. L., 1038
Thomas, J., 402
Thor, E., 375
Thorpe, H. J., 309
Thouvenel, J. C., 957
Thurston, H. D., 252
Tilia americana, heart rot of, in North Carolina, 576

Tillman, R. W., 325
Tobacco
bacterial barn rot of, in North Carolina, 1020
blackfire disease of, in Wisconsin, 100
black shank of, chemical control, 274
blue mold epidemic in Georgia, (1037)
Peronospora tabacina on, infectivity of conidia after freezing and thawing, 549
Tobacco streak virus, on impatiens, leaf-curl from, (289)
Tochihara, H., 1027
Todd, F. A., 1020
Toler, R. W., 50
Tomato
Alternaria rot of, control by imazalil, 169
bacterial speck of
incidence in Ontario, 586
resistance to, 851
yield loss and weather effect, 937
bacterial spot and speck of, control, 831, (832, 833)
basal stem canker of, *Rhizoctonia* and *Colletotrichum* relation, 76, (77)
Fusarium root and foot rot of, fertilizer effects, 309
late blight of, epidemic in Nigeria, 701
Meloidogyne spp. on, in Nigeria, 381
postharvest loss in, causes, 934
Verticillium wilt of, host response criteria, 207
Toxins
aflatoxin
on corn in Hawaii, 550
in silk-inoculated corn, 859
Trifolium alexandrinum (see Clover, Berseem-)
Tristeza virus, on citrus, relation to mycoplasmalike organism, 564
Tronsmo, A., 1009
Tsuga canadensis, heart rot of, in North Carolina, 573
Tsung, Y.-K., 387
Turf (see also Bluegrass)
fairy rings in, biological control of, 348, (350–353)
Turfgrass
downy mildew of, infection study, 915
Pythium aphanidermatum on, survival of, 1100, (1101)
yellow patch of, *Rhizoctonia* cause, (1114)
Turner, M. T., 216
Tylenchorhynchus clarus, reproduction of, on 10 hosts, 458

Uchida, J. Y., 483, 786
Ullasa, B. A., 1085
Ulmus spp., heart rot of, in North Carolina, 576
americana (see Elm)
Ultrastructure, lethal decline of date palm, 1038, (1039)
Uncinula necator, on grape, benomyl-resistant strains to, 677, (678)
Unwin, C. H., 163
Upadhyay, R. N., 874
Uromyces
fabae, on pea, field resistance to, 1085
viciae-fabae, pathogenic variability in, 671
Ustilago tritici, guar root extract effect on, 932
Uyemoto, J. K., 99, 460, 562

Valle, P., 584
Vandestreek, E., 382
Van Vuuren, S. P., 475
Venturia
inaequalis
on apple
computer prediction, 69
cultivar effect on ascospore emission, 930
low-volume applications for control, 681
macularis, on aspen, in Minnesota, 558
Verticicladiella sp., on white pine, in New Zealand, 96, (97, 98)
alacris, on pine, in South Africa, 569, (570)
procera
on eastern white pine, recovery method, 680
on pines, in New York, 590
selective medium for, 277
Verticillium dahliae
guar root extract effect on, 932
on tomato, host response criteria, 207
Vinca rosea (see Periwinkle)
Viroid
Diener response to Singh, 708
discovery of, letter to editor, 964
Viruses
aphid-borne-, oils to control, 542
IR-2 program for fruit trees, 826, (828, 829)
meristem-tip culture for, in potato, 15
potyvirus, seedborne on cowpea, 925
Visser, S., 207
Vitis vinifera (see Grape)
Vovlas, N., 1025
Vrain, T. C., 582

Wahl, I., 54
Waldher, J. T., 102
Walker, J. T., 184
Walla, J. A., 1092
Wallin, J. R., 168
Walter, B., 1040
Walters, H. J., 961
Ward, E. W. B., 163
Ware, G. O., 481
Watermelon
Fusarium wilt of, inheritance of resistance to race 1, 853
Meloidogyne spp. on, in Nigeria, 381
Watermelon mosaic virus, on cucumber, severe in Lebanon, 799, (800, 801)
Waterworth, H. E., 562
Weaver, D. J., 485
Webster, R. K., 88
Weintall, Ch., 853
Weiss, A., 757
Wells, J. M., 485, 997, 999
Welty, R. E., 476, 1097
Westcott, C., 984
Westphal, E., 406
Wheat
bacterial blight of, temperature and light effect, 481
barley yellow dwarf virus on, loss assessment, 197, (200)
Cephalosporium stripe of, in Wyoming, 1117
cereal cyst nematode on, soil assay to assess damage, 917
foliar fungicides for, in Europe, 987
Fusarium foot rot of, control in Pacific Northwest, 1061
leaf rust of
new races in Idaho, 324
virulence in Pacific Northwest, 78
Pythium snow rot of, cultivar reaction, 555
Pythium spp. on, occurrence in Pacific Northwest, 102
root-knot nematode of, in Pacific Northwest, 951
Septoria nodorum on, resistance to, 492
slow and fast rusting of, temperature effect, 1006
stem rust of
Indian races, 849
slow, detection, 54
storage fungi of, research needed, 1067
Wheat spindle streak mosaic virus, on winter wheat, losses from, 181
Wheat streak mosaic virus, on corn and wheat, purification of, 460, (461)
Whiteside, J. O., 300, 871
Wilcoxson, R. D., 54, 490, 928
Wildt, P. P. Q. de, 771
Wilhelm, S., 265
Wilkinson, R. E., 72, 857
Williams, P. H., 326, 736
Wills, W. H., 956
Wingfield, M. J., 221, 569
Witcher, W., 398
Wolfe, M. S., 148
Woodard, K. E., 949
Worf, G. L., 101
Wuest, P. J., 455

Xanthomonas sp., on grape, leaf spot from, description, 698, (699, 700)
campestris
on crucifer
seedborne, 91
world threat, 736 (737–739, 741)
fragariae, on strawberry, inoculation methods, 178
manihotis, on cassava, transmission of, 784
nigromaculans, on zinnia, captan for, 920
phaseoli, nonhosts of, inoculum sources, 194
vesicatoria, on tomato, control, 831, (832)
Xiphinema americanum, reproduction and survival on 37 hosts, 174

Yeh, C. C., 373, 468
Ystaas, J., 1009
Yunis, H., 851, 937

Zachariah, S., 953
Zang, L., 759, 1034
Zeiders, K. E., 211
Zelazny, B., 841
Zimmerman-Gries, S., 371
Zinnia, bacterial leaf spot of, captan for, 920
Zitter, T. A., 542
Zizyphus mauritiana, postharvest disease of, in India, (323, 324)
Zuber, M. S., 550
Zummo, N., 706
Zygocactus truncatus, basal stem rot of, 1118